Issue Date: 07/02/2024

Pond Clean Large

Safety Data Sheet



1. MATERIAL AND SUPPLY COMPANY IDENTIFICATION

Product Name: Pond Clean Large

Synonyms: Sodium Percarbonate, Lactose Monohydrate, Sodium Carbonate, Sodium Bicarbonate, Citric Acid, Sodium Chloride (<1%). Carbonic acid disodium salt, compd. with hydrogen peroxide (H2O2) (2:3); Carbonic acid, disodium salt, compound with hydrogen peroxide (H2O2) (2:3); Disodium carbonate, compound with hydrogen peroxide (2:3); Sodium Carbonate Peroxide; Sodium Carbonate Peroxyhydrate; SPC

Common uses: Aerobic bacterial pre-treatment for use in Grease traps and Interceptors, Sewage Lift Stations, Sewer lines, WWTF's, POTW systems to reduce or eliminate odors (e.g. H2S, NH4, VFA's), prevent corrosive acid development and reduce FOG related backups and damage. Sodium Percarbonate dissolves into water rapidly to release oxygen and provides powerful cleaning, bleaching, stain removal and deodorizing capabilities. As a kind of new high effective bleaching raw material for detergent, Sodium Percarbonate also is one disinfecting agent.

Supplied by:

Supplier: Septic Science

Postal Address: PO Box 136

Mansfield Q 4122

Telephone: 1300 991 948

Emergency Telephone number: Poisons Information Centre 13 11 26

2. Composition Information

CHEMICAL NAME	CAS#	TSCA	TSCA 8 (d)	SARA 302	SARA 313	<mark>%</mark>	
Sodium Per carbonate 15660-89-4	YES	NO	NO	NO		33%	
Non-PathogenicProprietary Bacteria Blend N/A YES NO NO NO 67% Not classified as hazardous according to the criteria of Safe Work Australia. Not classified as dangerous goods according to the ADG Code.							

Chemical Entity	Formula	CASNumber	Proportion
Disodium carbonate, compound with hydrogen peroxide (2:3)	No Data Available	15630-89-4	88 %
Sodium Carbonate	No Data Available	497-19-8	8.67 %
Sodium Chloride	No Data Available	7647-14-5	2.19 %



3. Hazards identification.

Poisons Schedule (Aust) 6

Hazard Classification Hazard Categories

Danger

Hazard Statements H272 H302

H318

Precautionary Statements Prevention P210 P221

P280

May intensify fire; oxidizer. Harmful if swallowed.

Causes serious eye damage.

Signal Word

Pictograms

Hazardous according to the criteria of the Globally Harmonised System of Classification and Labelling of Chemicals (GHS)

Acute Toxicity (Oral) - Category 4

Serious Eye Damage/Irritation - Category 1

Oxidising Solids - Category 2

Keep away from heat/sparks/open flames/hot surfaces. No smoking. Take any precaution to avoid mixing with combustibles.

Wear protective gloves/protective clothing/eye protection/face protection.







Response P305 + P351 + P338 IFIN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER or doctor/physician.

Dispose of contents/container in accordance with local / regional / national / international regulations.

P310

Disposal P501

National Transport Commission (Australia)

Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)

Dangerous Goods Classification Dangerous Goods according to the criteria of the Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)

Environmental Protection Authority (New Zealand)

Hazardous Substances and New Organisms Amendment Act 2015

5.1.1B Oxidising substances that are liquids or solids: medium hazard

HSNO Classifications Physical Hazards

Health Environmental Hazards 6.4A 9.1D Hazards 6.1D

9.3C

Substances that are acutely toxic - Harmful

Substances that are irritating to the eye

Substances that are slightly harmful to the aquatic environment

or are otherwise designed for biocidal action Substances that are harmful to

terrestrial vertebrates

4. First Aid measures.

Medical attention is required in case of exposure by inhalation, contact with skin or eyes, or if swallowed.

Exposure Route Inhalation

Description of necessary measures according to routes of exposure

Swallowed

Eye

Skin

Inhaled

Advice to Doctor

Medical Conditions Aggravated by Exposure

If the subject is completely conscious, rinse mouth and administer fresh water. Don't induce vomiting. If the subject is unconscious, loosen collar and tight clothing, lay the victim on his/her left side, and give nothing by mouth. Keep warm with blanket. Don't induce vomiting.

Remove contact lenses. Flush eyes immediately with large quantities of running water, while keeping eyelids wide open (at least for 15-20 minutes). Get medical attention immediately.

Remove contaminated clothing, shoes, etc. immediately. Wash the affected skin with soap or mild detergent and large quantities of running water until no evidence of chemical remains. Get medical attention in case of persistent pain or redness.

Remove the subject from exposure immediately and perform artificial respiration, if needed. Get medical attention in case of respiratory symptoms.

Treat symptomatically based on judgement of doctor and individual reactions of patient. - Give artificial respiration if victim is not breathing.

- Administer oxygen if breathing is difficult.
- Remove and isolate contaminated clothing and shoes.
- Contaminated clothing may be a fire risk when dry.
- Keep victim warm and quiet.
- Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.

Persons with pre-existing skin, eye, or respiratory disease may be at increased risk from the irritant or allergic properties of this material.

5. Fire Fighting measures.

General Measures

Flammability Conditions Extinguishing Media Fire and Explosion Hazard

Hazardous Products of Combustion

explode from heat or contamination. Containers may explode when heated. $% \label{eq:contamination} % \label{eq:contamination} %$

Run off may create fire or explosion hazard. Can be released in case of fire: Carbon monoxide and carbon dioxide, Sodium oxide.

Fire may produce irritating, corrosive and/or toxic gases. Decomposition disposal.

Special Fire Fighting Instructions

Intervention only by capable personnel who are trained and aware of the hazards of the product. Evacuate all nonessential personnel. If safe to do so, remove unaffected product to a safe area.

Product is an Oxidizing Solid. Oxygen released on exothermic decomposition may support combustion. Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Oxidising material. Contact with combustible materials my cause fire. It may decompose explosively when heated or involved in a fire. May

releases steam/heat.

Do NOT allow fire fighting water to reach waterways, drains or sewers. Store fire fighting water for treatment. Dam fire control water for later disposal.

Personal Protective Equipment Fire fighters should wear a positive-pressure self-contained breathing apparatus (SCBA) and protective fire fighting clothing (includes fire fighting helmet, coat, trousers, boots and gloves) or chemical splash suit.

Flash Point No Data Available No Data

Lower Explosion Limit
Upper Explosion Limit
Available No Data

Auto Ignition Available

Temperature

Hazchem Code 1Y



6. Accidental Release measures.

General Response Procedure Avoid materials and products which are incompatible with the product(see section 10). Avoid direct contact of the

product with water. Do not touch damaged containers or spilled material unless wearing appropriate protective

clothing.

Collect the product with suitable means, shovel or sweep, avoiding dust formation. All receiving equipment should be

Clean Up Procedures

Containment

Decontamination

Environmental Precautionary Measures

Evacuation Criteria

Personal Precautionary Measures

clean, dry, vented, labelled and made of material is compatible with the product.Do NOT return spilled or contaminated material to inventory.

- Small spill: With clean shovel place material into clean, dry container and cover loosely; move containers from spil area.

- Large spill: Dike far ahead of liquid spill for later disposal. Following product recovery, flush area with water Pick up and arrange disposal without creating dust. Keep in suitable, closed containers for disposal. Clean the area with large quantities of water. For disposal methods, refer to section 13.%

Ventilate for proper method. Make an embankment for further processing. Prevent entry into waterways, sewers, basements or confined areas. If product does enter a waterway, advise the Environmental Protection Authority or your local Waste Management.

Evacuate all unnecessary personnel.

Do NOT touch damaged containers or spilled material unless wearing appropriate protective clothing as listed in section 8.

7. Handling & Storage.

Handling

Storage Container

Clean and dry process piping and equipment before using the product. Never return spillage to its original package or for reuse. Keep away from incompatible products. Do not use vacuum cleaner for cleaning up. Avoid contact and avoid breathing the material. Emergency showers and eye wash should be readily accessible. Remove all sources of ignition.

Containers and equipment used to handle the product should be used exclusively for that product. Avoid any contact with water or humidity. Provide appropriate exhaust ventilation at places where dust is formed. Keep away from sources of ignition -No smoking. Keep away from combustible material.

Store in a cool, dry, well-ventilated area. Keep containers tightly closed when not in use. Inspect regularly for deficiencies such as damage or leaks. Protect against physical damage. Store away from incompatible materials as listed in section 10. Protect from direct sunlight. Keep away from heat sources. Keep away from reactive products. Store in vented containers. This product has a UN classification of 3378 and a Dangerous Goods Class 5.1 (Oxidiser) according to The Australian Code for the Transport of Dangerous Goods By Road and Rail.

Do not leave container open. Avoid formation of dust and aerosols. Container type/packaging must comply with all applicable local legislation. Store in original packaging as approved by manufacturer.

8. Exposure Controls/personal protection.

No exposure standard has been established for this product by the Australian Safety and Compensation Council (ASCC). However, the exposure standard for dust not otherwise specified is 10mg/m3 (for inspirable dust) and 3mg/m3 (for respirable dust).

General

Exposure Limits Biological Limits

No Data Available

No information available on biological limit values for this product.



Engineering Measures A system of local and/or general exhaust is recommended to keep employee exposures as low as possible. Local exhaust ventilation is generally preferred because it can control the emissions of the contaminant at its source, preventing dispersion of it into the general work area. Provide natural or explosion-proof ventilation adequate to ensure concentrations are kept below exposure limits. Check legal suitability of exposure level.

Personal Protection Equipment RESPIRATOR: Use only respiratory protection that conforms to international/national standards - Use breathing

masks with dust filter P2 (AS1715/1716).

EYES: Use tightly fitting, chemical resistant safety goggles (AS1336/1337).

HANDS: Use suitable gloves of PVC, neoprene or natural rubber having a penetration time of 4-8 hours - Do not leather or cotton gloves when handling a wet product (AS2161).

CLOTHING: For brief contact, few precautions other than clean body-covering clothing should be needed. When prolonged or frequently repeated contact could occur, use protective, full body clothing, such as PVC or rubber, impervious to this material and safety footwear (AS3765/2210).

Special Hazards Precaustions Work Hygienic Practices

Handle in accordance with good industrial hygiene and safety practice.

Consult a health and safety expert for the selection of personal protective equipment suitable for the working conditions.

Wash hands before breaks and at the end of workday. Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

9. Physical & Chemical Properties.

Partition Coefficient

Physical State Saturated Vapour Concentration Vapour

Appearance Temperature
Odour Viscosity
Colour

pH Volatile Percent VOC Volume

Vapour Pressure Solid

Relative Vapour DensityGranular Solid,Boiling PointOdourlessMelting PointWhite or colourFreezing Point10.0 + 1.0

Solubility <10-3 Pa (@25 °C)

Specific Gravity No Data Available

Flash Point No Data Available

Auto Ignition Temp No Data Available

Evaporation Rate No Data Available

Bulk Density 140g/L 24°C

Corrosion Rate No Data Available

Decomposition Temperature Density

Specific Heat

Molecular Weight

No Data Available

No Data Available

No Data Available

No Data Available

0.80-1.0 g/cm3

No Data Available

Self-accelerating decomposition with oxygen

No Data Available
release starting from 50 °C 2.01 - 2.16 Relative

No Data Available

Not applicable. Sodium percarbonate is a simple

inorganic salt. No Data Available

Reactions That Release Gases or Vapours



Additional Characteristics Potential for Dust Explosion

Oxidising properties: Oxidising solid of class 5.1 (UN

Fast or Intensely Burning Recommendations) No Data Available

Characteristics No Data Available

Flame Propagation or Burning Rate of Solid Materials

Non-Flammables That Could Contribute Unusual Hazards to a No Data Available

Properties That May Initiate or Contribute to Fire Intensity

No Data Available

Release of Invisible Flammable Vapours and Gases

No Data Available

No Data Available

10. Stability & Reactivity.Avoid moisture. Avoid temperatures above 60 °C, direct sunlight

No Data Available

General Information Chemical Stability

Water Acids Roses Salts of heat.

Conditions to Avoid Materials to Avoid

Water, Acids, Bases, Salts of heavy metals, Reducing agents,
Organic materials, Flammable substances. The substance can react dangerously with reducing agents, flammable substances.

Hazardous Decomposition Products Can be released in case of fire: Carbon monoxide and carbon

Hazardous Polymerisation
Reactivity: Oxidising agents, actual reactivity varies greatly with dioxide, Sodium oxide. No Data Available

temperature conditions and recommended use.

the identity of the organic compound. Stable under normal

11. Toxicological Information.

General Information Oral route LD50 Rat (combined sexes): 1034 mg/Kg (OECD SIDS) Dermal

route LDLo Rabbit: >2000 mg/Kg (OECD SIDS)

Inhalation LC0, 1 hour, Rat: >4.58 mg/L/4h (OECD SIDS)

General: Irritating to mucous membrane, eyes and skin.

Irritation:

Eyes, severe damage: Rabbit Skin, slightly irritating: Rabbit

Sensitization:

No sensitization was noted when administered as a 75% w/v mixture during induction and as a 25%

w/v mixture at challenge

Comments: Toxic effect linked with irritant properties

(a)

Acute toxicity: It can be concluded that the existing animal data on acute toxicity show that sodium percarbon exhibits local irritation effects in the gastrointestinal and respiratory tracts and on the skin. Systemic effects are not to be expected. Sodium percarbonate should be classified for acute oral toxicity, Category 4 based on the criteria of the CLP Regulation (EC) No 1272/2008.

(b)

Skin corrosion/irritation: A human patch test performed with sodium percarbonate (York et a 1996) and a valid and reliable skin irritation test performed with rabbits Glaza 1990c) shows that sodium percarbonate is not irritating to the skin.

(c) (d) Serious eye damage/irritation: In test (BASF test) on rabbit eye corrosion, eye corrosion was observ Respiratory or skin sensitization: A valid GLP guideline study was conducted with guinea pigs in which sod percarbonate was not a skin sensitizer.

(c)

Germ cell mutagenicity: Data on the mutagenicity of sodium percarbonate are not available but it is likely that test results for sodium percarbonate will be similar to those of hydrogen peroxide due to the release of hydrogen peroxide in aqueous media. The available studies on hydrogen peroxide, most of them, in particular the in vivo studies, were performed according to OECD guidelines and GLP, are not in support of significant genotoxicity/mutagenicity under in vivo conditions. Therefore sodium percarbonate is also unlikely to have any in vivo genotoxic potential.

(f) (g) Carcinogenicity: Carcinogenicity studies with animals and sodium percarbonate are not availab Reproductive toxicity: In conclusion, the available information supports the view that sodium percarbonate and dissociation products hydrogen peroxide and sodium carbonate do not act as reproductive toxicants or may reach the developing foetus under the conditions of human exposure. It can thus be concluded that the substances should not be considered as reproductive or developmental toxicants.

STOT-single exposure: The respiratory irritation can be explained by the elevated particle concentration breathing air and the formation of hydrogen peroxide and sodium carbonate from the dissociation of sodium percarbonate in the upper respiratory tract. The RD50 was approximately 700 mg/m3.

STOT-repeated exposure: As it is expected that repeated dose toxicity of sodium percarbonate will mainly mediated by hydrogen peroxide, no observed adverse effect levels can be defined on the basis of its hydrogen peroxide content. Based on the 90-day drinking water study according to OECD guidelines and GLP with hydrogen peroxide and catalase deficient mice, the predicted NOAEL of sodium percarbonate would be 308 ppm (81 to 115 mg/kg bw/day for males and females, respectively)

Aspiration hazard: Not relevant

Eye Irritant

Ingestion

Inhalation

Skinlrritant

Carcinogenicity

Mutagenicity

Carcinogen Category

Severe eye irritation, watering and redness, can cause burns to the eye. Risk of serious or permanent eye lesions. In case of repeated contact: risk of dermatitis.

Harmful if swallowed. Severe irritation of the mouth, throat, esophagus and stomach. Bloating of stomach, belching. Nausea, vomiting and diarrhea.

Slight nose and throat irritation. At high concentrations, cough. In case of repeated or prolonged exposure: risk of sore throat, nose bleeds, chronic bronchitis.

May cause skin irritation when exposed for long periods of time. Slight irritation. In case of repeated contact: risk of dermatitis.

No component of this product presents at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

No component of this product presents at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

No Data Available

12. Ecological Information.

Invertebrates: 48hr-EC = 4.9mg/L (Daphnia magna)
Invertebrates: 48d-NOEC = 2.0mg/L (Daphnia magna)

Ecotoxicity

Algae: 72hr-EC50 = 7.7mg/L (Crupina vulgaris)

Algae: 72hr-NOEC = 0.3mg/L (Crupina vulgaris)

Sodium percarbonate dissociates in water into hydrogen peroxide and sodium carbonate. Hydrogen peroxide is rapidly degraded in a

biological waste water treatment plant. (OECD SIDS).

Volatilisation of hydrogen peroxide from surface waters and moist soil is expected to be very low, while it is expected to be highly

mobile in soil. (OECD SIDS)

Do NOT let product reach waterways, drains and sewers.

Both sodium carbonate and hydrogen peroxide (log Kow < -1) are inorganic chemicals which do not bioaccumulate. (OECD SIDS).

No Data Available

Persistence/Degradability Mobility

Environmental Fate Bioaccumulation Potential

Environmental Impact

Fish: 96hr-LC50 = 70.7mg/L (Pimephales promelas) Fish:96hr-NOEC = 1mg/L (Pimephales promelas)

Pond Clean Large

Safety Data Sheet

13. Disposal considerations.

General Information Dispose of in accordance with all local, state and federal regulations. All empty packaging should be disposed of in accordance with Local, State, and Federal Regulations or recycled/reconditioned at an approved facility.

Special Precautions for Land Fill Observe all federal, state, and local environmental regulations. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and

burn

in a chemical incinerator equipped with an afterburner and scrubber.

14. Transport Information. (Not regulated for transport)

Land Transport (Australia)

ADG Code

Proper Shipping Name

Class Land Transport (New Zealand) NZS5433

Subsidiary Risk(s)

EPG Proper Shipping Name

UN Number Class

Hazchem Subsidiary Risk(s)

Pack Group EPG

Special Provision UN Number

Hazchem

Land Transport Pack Group
(Malaysia) ADR Special Provi

DR Special Provision
SODIUM CARBONATE

Proper Shipping Name
PEROXYHYDRATE 5.1 Oxidising

Class Substances

Subsidiary Risk(s)

No Data Available

31 Oxidizing Substances

 EPG
 3378

 UN Number
 1Y

 Hazchem
 II

Pack Group No Data Available

Special Provision

SODIUM CARBONATE SODIUM CARBONATE

PEROXYHYDRATE 5.1 Oxidising PEROXYHYDRATE 5.1 Oxidising

Substances Substances

No Data Available No Data Available

31 Oxidizing Substances

3378

31 Oxidizing Substances
3378
1Y
II

II No Data Available

No Data Available

Pond Clean Large

Safety Data Sheet

Land Transport (United States of

America) US DOT

Proper Shipping Name Class

SODIUM CARBONATE

PEROXYHYDRATE 5.1 Oxidising

ERG Substances
UN Number Substances
No Data Available
140 Oxidizers

 Hazchem
 3378

 Pack Group
 1Y

 Special Provision
 II

Sea Transport No Data Available

IMDG Code

Proper Shipping Name Class

Subsidiary Risk(s)

UN Number SODIUM CARBONATE

PEROXYHYDRATE 5.1 Oxidising

Hazchem Substances
Pack Group No Data Available

Special Provision 3378
EMS 1Y
Marine Pollutant

Air Transport No Data Available

IATA DGR F-A,S

Proper Shipping Name Class

Subsidiary Risk(s)

UN Number

Hazchem SODIUM CARBONATE

Pack Group
PEROXYHYDRATE 5.1 Oxidising

Special Provision

Substances

No Data Available

No Data Available 33781Y

National Transport Commission (Australia)

Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)

Dangerous Goods Classification Dangerous Goods according to the criteria of the Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)

15. Regulatory Information.

Poisons Schedule (Aust)

No Data Available 6

General Information

Environmental Protection Authority (New Zealand) Hazardous

Substances and New Organisms Amendment Act 2015

Approval Code HSR001351 National/Regional

Inventories

Australia (AICS)

New Zealand (NZIoC)

Canada (DSL)

Philippines (PICCS)

Canada (NDSL)

Switzerland (Giftliste 1)

China (IECSC)

Switzerland (Inventory of

Europe (EINECS) Notified Substances)

Europe (REACh) Taiwan (NCSR)

Listed

Japan (ENCS/METI)

Listed

Korea (KECI)

Not Determined Listed

Malaysia (EHS Register)

Listed Not Determined Not

Not Determined Listed Determined Not Determined

Listed

Not Determined

Not Determined Listed

USA (TSCA) Listed



16. Other Information.

This material must not be used for direct contact with food:

Wash hands thoroughly after handling.

Legal Disclaimer:`

The above information in this MSDS was obtained from sources which we believe are reliable. HOWEVER, THE INFORMATION IS PROVIDED WITHOUT ANY WARRANTY, EXPRESSED OR IMPLIED, REGARDING ITS CORRECTNESS. The conditions or methods of handling, storage, use and disposal of the product are beyond our control and may be beyond our knowledge. FOR THIS AND OTHER REASONS, WE DO NOT ASSUME RESPONSIBILITY AND EXPRESSLY DISCLAIM LIABILITY FOR LOSS, DAMAGE OR EXPENSE ARISING OUT OF OR IN ANY WAY CONNECTED WITH THE HANDLING, STORAGE, OR USE OF THIS PRODUCT.

Further details may be available upon request from your local distribution site.